3100-3800 PSI PROFESSIONAL
Power Washers

GENERAC®

Tough Cleaning Performance for Any Jobsite

PROFESSIONAL POWER WASHERS

3100 – 3800 PSI

DIRECT DRIVE

Tackle every tough cleaning job at work or on the farm. Generac's rugged power washers combine professional-grade features and user-friendly design. They're a breeze to set up, easy to maneuver and won't let you down.

FLEXIBLE HIGH-PRESSURE HOSE
Quick-change connectors make hose connections a snap

DURABLE 1-1/4" STEEL FRAME
Protects the engine and pump

PROFESSIONAL-GRADE ERGONOMIC SPRAY GUN
Cushion grip handle and easy-to-pull trigger reduce fatigue and improve comfort

QUICK-CHANGE NOZZLE TIPS
0°, 15°, 25°, 40° and soap

POWERFUL GENERAC OHV ENGINE
For maximum cleaning performance

PROFESSIONAL-GRADE PUMPS
Provides easy access hose connections and extend life of pressure washers

OVERSIZED PNEUMATIC WHEELS
Easily handle rugged jobsite terrain

BELT DRIVE

Powerful. Compact. Long-lasting. These professional-grade power washers feature heavy-duty belt drives for longer pump life than direct drive models. You can also count on a compact, lightweight design for easy mobility around the jobsite.

STEEL-REINFORCED HOSE
Quick-change connectors make hose connections a snap

PROFESSIONAL-GRADE ERGONOMIC SPRAY GUN
Cushion grip handle and easy-to-pull trigger reduce fatigue and improve comfort

HEAVY DUTY BELT DRIVE AR TRIPLEX PUMP
Up to 3X longer life than direct drive triplex pumps

OVERSIZED PNEUMATIC WHEELS
Easily handle rugged jobsite terrain

COMPACT, LIGHTWEIGHT DESIGN
Up to 50 lbs. less weight than other belt-drive power washers

POWERFUL GENERAC OHV HORIZONTAL-SHAFT ENGINE
Features low-oil shutdown

3100-3800 PSI

PROFESSIONAL
POWER WASHERS

SPECIFICATIONS

DIRECT DRIVE	3200 PSI	3300 PSI	3600 PSI
Model Number (49-State/CARB)	6926	6927	6924
GPM	2.5	2.5	2.6
Cleaning Power (PSI x GPM)	8000	8250	9360
Engine	196cc Generac OHV	212cc Generac OHV	212cc Generac OHV
Pump	Axial Cam Pump	CAT Triplex Pump	AR Triplex Pump
Spray Gun Type	Ergonomic Spray Gun	Ergonomic Spray Gun	Ergonomic Spray Gun
Hose Type	30’ flexible high pressure	30’ flexible high pressure	30’ flexible high pressure
Soap Tank	Siphon hose	Siphon hose	Siphon hose
Quick-Connect Nozzle Tips	0°, 15°, 25°, 40°, soap	0°, 15°, 25°, 40°, soap	0°, 15°, 25°, 40°, soap
Wheel Type	10" pneumatic	10" pneumatic	10" pneumatic
Dimensions (L" x W" x H")	33.1” x 19.7” x 24.1”	33.1” x 19.7” x 24.1”	33.1” x 19.7” x 24.1”
Product Weight	68 lbs	72 lbs	77 lbs
Warranty	3 year limited	3 year limited	3 year limited

BELT DRIVE	3800 PSI
Model Number (49-State/CARB)	6712
GPM	3.2
Cleaning Power (PSI x GPM)	12160
Engine	302cc Generac OHV w/ low-oil shutdown
Pump Type	Triplex with ceramic-coated pistons & pressure adjustment valve
Spray Gun Type	Professional-grade w/ adjustable side handle
Hose Type	5/16" x 35' steel reinforced
Quick-Connect Nozzle Tips	(5) 0°, 15°, 25°, 40°, soap
Wheel Type	10" pneumatic
Dimensions (L" x W" x H")	35.5 x 25.25 x 26.75
Product Weight	134 lbs
Warranty	3 year limited

All portable specifications and models subject to change. Please consult factory for availability.

0L2784 REV. A 05/2015
©2015 Generac Power Systems, Inc. All Rights Reserved.
Specifications are subject to change without notice.

Generac Power Systems, Inc.
S45 W29290 Hwy. 59, Waukesha, WI 53189
1-888-GENERAC (1-888-436-3722)

GENERAC®

generac.com